



Morning greets the coast, afternoon the mountains and tonoorrow, well who knows? It's all yours on the new Vulcan[®] 1700 Voyager[®], Kawasaki's first full-dress V-Twin touring machine. Its premium features make lowing the most rewarding activity imaginable, beginning with a tremendously powerful long-stoke 1700c V-Twin engine boasting a fully electronic throttle actuation system and cruise control for effortiess operation. Add a targe frame-mounted fairing and windshild, separate lower wented shields, generous storag an iPod and MP3 compatible audo system using accessory hamess, and available K-ACT anti-look brakes, and the world really is yours.



.0] REAR SHOCKS The Voyager's dual air-assisted rear shocks provide control under a wide range of riding conditions, and can be quickly and easily adjusted to





62 PASSENCER SEATING Valcan f700 Voyager passengers ride in the lip of huxry with an exponencially designed individual premium seat and backrest. The wayas backrest design adds support to make the passenger's experience as fine as the rider's.




.03 INSTRUMENT PANEL Combining classic 760 styling and ultramodern electronics, the Voyage's multifunction instrument array gives you all the information you need—and looks great doing it. Fuel range and average mpg highlight the electronic features.

.01 OPTIONAL ABS BRAKING SYSTEM K-ACT, Kawasaki's unified braking system, applies front and rear brakes when you engage either the front lever or rear pedal. Available only on the 1700 Voyager ABS model.









		and the second					
colors la int	IA 'WA	SPECIFICATIONS	Vulcan [®] 1700 Voyager [®]	Vulcan [®] 1700 Voyager [®] ABS	Vulcan [®] 1700 Nomad [®]	Vulcan* 1700 Classic LT	Vulcan [®] 1200 Classic
CONTROLS PULCANY 1200 VOYAGER Public Marke Date Black Market Transmit / Market Date Black	Engine type	4-stroke 50° V-Twin	4-stroke 50° V-Twin	4-stroke 50° V-Twin	4-stroke 50° V-Twin	4-stroke 50° V-Twin	
	Displacement	1,700cc (103.7 cu. in.)	1,700cc (103.7 cu. in.)	1,700cc (103.7 cu. in.)	1,700cc (103.7 cu. in.)	1,700cc (103.7 cu. in.)	
	Bore x stroke	102 x 104mm	102 x 104mm	102 x 104mm	102 x 104mm	102 x 104mm	
	Compression ratio	9.5:1	9.5:1	9.5:1	9.5:1	9.5:1	
<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	Valve system	SOHC, 4 valves/cylinder	SOHC, 4 valves/cylinder	SOHC, 4 valves/cylinder	SOHC, 4 valves/cylinder	SOHC, 4 valves/cylinder	
	Cooling system	Liquid, plus cooling fins	Liquid, plus cooling fins	Liquid, plus cooling fins	Liquid, plus cooling fins	Liquid, plus cooling fins	
	Fuel system	Digital Fuel Injection with dual 42mm throttle bodies	Digital Fuel Injection with dual 42mm throttle bodies	Digital Fuel Injection with dual 42mm throttle bodies	Digital Fuel Injection with dual 42mm throttle bodies	Digital Fuel Injection with dual 42mm throttle bodies	
	Ignition	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance	
		Transmission	6-speed with Positive Neutral Finder	6-speed with Positive Neutral Finder	6-speed with Positive Neutral Finder	6-speed with Positive Neutral Finder	6-speed with Positive Neutral Finder
		Final drive	Carbon Fiber belt	Carbon Fiber belt	Carbon Fiber belt	Carbon Fiber belt	Carbon Fiber belt
		Frame type	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel
		Rake/trail	30º/7.0 inches	30º/7.0 inches	30º/7.0 inches	30º/6.7 inches	30º/6.7 inches
		Suspension, front	45mm hydraulic telescopic fork	45mm hydraulic telescopic fork	43mm hydraulic telescopic fork		43mm hydraulic telescopic fork
		Suspension, rear	Swingarm with twin air-assisted shocks, with 4-way rebound damping	Swingarm with twin air-assisted shocks, with 4-way rebound damping	Swingarm with twin air-assisted shocks, with 4-way rebound damping	Swingarm with twin air-assisted shocks, with 4-way rebound damping	Swingarm with twin air-assisted shocks, with 4-way rebound damping
	Tire, front	130/90-16	130/90-16	130/90-16	130/90-16	130/90-16	
	Tire, rear	170/70-16	170/70-16	170/70-16	170/70-16	170/70-16	
	Brakes, front/rear	Dual 300mm discs with Twin- Piston calipers / Single 300mm disc with Twin-Piston caliper	Dual 300mm discs with Twin-Piston calipers / Single 300mm disc with Twin-Piston caliper K-ACT ABS	Dual 300mm discs with Twin- Piston calipers / Single 300mm disc with Twin-Piston caliper	Dual 300mm discs with Twin- Piston calipers / Single 300mm disc with Twin-Piston caliper	Dual 300mm discs with Twin- Piston calipers / Single 300mm disc with Twin-Piston caliper	
		Wheelbase	65.6 inches	65.6 inches	65.6 inches	65.6 inches	65.6 inches
	Seat height	28.7 inches	28.7 inches	28.7 inches	28.3 inches	28.3 inches	
	Fuel capacity	5.3 gallons	5.3 gallons	5.3 gallons	5.3 gallons	5.3 gallons	
		Curb weight	886.4 pounds	895.2 pounds	833.5 pounds	798.2 pounds	760.7 pounds
VULCAN® 1700 CLASSIC							
L Metallic Diablo Black	*Models shown subject to change.						1 de la

Up to Three Years Warranty

Your new Vulcan[®] 1700 Voyager[®] motorcycle comes with a 36-month/unlimited mileage limited factory warranty. Your new Vulcan 1700 Nomad[™] and Vulcan 1700 Classic LT come with a 24-month/unlimited mileage limited factory warranty. Your new Vulcan 1700 Classic comes with a 12-month/unlimited mileage limited factory. Read the next paragraph to find out how you can extend your coverage inexpensively, or ask your dealer for details about the factory warranty and available extended coverage.

Up to Four Years Additional Coverage*

Let Kawasaki protect your new machine for years to come* with the exclusive Good Times[™] Protection Plan. This plan repairs or replaces most components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki motorcycle dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy extended coverage of 12, 24, 36 or 48 months. Imagine, for just pennies a day, you can ride with no worry and no hassle. Just tell your dealer you want the Good Times Protection Plan. *Depending on the program purchased.

Ride Now With Zero Down*

We offer up to 100% instant financing on most Kawasaki products with the Good Times[™] Credit Plan[↑] or Good Times[™] Credit Card. Qualified buyers can ride away on a brand-new Kawasaki with no down payment. In most cases, the computerized credit approval takes just minutes. You can even add insurance, accessories and the Good Times Protection Plan to your contract. Ask your participating dealer for details.

Safe Riding's More Fun

Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a helmet, eye protection and proper apparel. Passengers too. Ride defensively. Obey the Basic Speed Law. Never ride under the influence of drugs or alcohol. Riding is more fun on a well-maintained motorcycle...follow the instructions in your owner's manual. Remember, riding safe is smart.

Specifications subject to change without notice. Availability may be limited. Always wear a helmet and appropriate apparel. Call 1-800-446-9227 for the Motorcycle Safety Foundation beginner or expert course near you. You won't even need a motorcycle—your course sponsor will provide one courtes volve your local dealer.

Action Photography: Professional riders on a closed course

For more information, visit our Web site at: www.kawasaki.com For the nearest Kawasaki dealer, call: **1-800-661-RIDE** To purchase accessories, see your dealer or visit our Web site.



Kawasaki Motors Corp., U.S.A. 9950 Jeronimo Road, Irvine, California 92618 ©2008 Kawasaki Motors Corp., U.S.A

P/N 99969-3401 Printed in U.S.A.